Author Index

Abouchacra KS, 346
Agnew J, 296
Ahlstrom JB, 31
Alexander GC, 428
Allen RL, 282
Amos CS, 57
Andrews M, 49

Baran JA, 370
Barry EK, 7
Barry SJ, 7
Beck LB, 15
Bennett SL, 269
Blamey P, 63
Blanks RHI, 39
Boll TJ, 57
Boothroyd A, 105
Brant LJ, 152
Byrne D, 305, 377, 406

Castelloe J, 396
Chen J, 130
Chertoff ME, 130
Chmiel R, 190
Clark G, 63
Coughlin M, 419
Cowan R, 63
Cox LC, 71
Cox RM, 428
Cranford JL, 282, 289
Cruickshanks KJ, 251, 260

Dahle AJ, 57
De Chicchis AR, 120
Dillon H, 406
Dirks DD, 31
Dokler PA, 269
Doyle J, 442

Eisenberg LS, 31

Fitzgibbons PJ, 183
Formby C, 125
Fowler CG, 23, 39
Fowler KB, 57
Fozard JL, 152
Franqui M, 15

Gagné JP, 137
Galvin K, 63
Gordon-Salant S, 152, 183
Gray GA, 428
Green DM, 125
Griffiths SK, 332
Grim MA, 230
Grose JH, 168

Haas EC, 346
Hall JW III, 339
Henderson D, 375
Hipp K, 289
Holmes AE, 219, 332
Humes LE, 161, 419
Hurley RM, 304

Isart FA, 332

Jaffe MS, 358
Jerger J, 190

Kalb JT, 346
Kaplan H, 203, 332
Katbamna B, 269, 365
Katt DF, 113
Keidser G, 92, 406
Kennalley T, 289
Klein BEK, 251, 260
Klein LL, 152
Klein R, 251, 260
Kricos PB, 219
Kuk FK, 274, 322

Lau C, 274, 322
Leigh ED, 1
Letowski TR, 346, 447

MacDonald CB, 71
Martinez CD, 49
Maxon AB, 77
McCollister FP, 57
Metter EJ, 152
Metz DA, 269
Mikami CM, 23
Morrell CH, 152
Musiek FE, 370
Myers LL, 346

Newall P, 305
Nichols SW, 332
Noffsinger D, 49
Nondahl DM, 251, 260
Nozza RJ, 120

Ochs MT, 240, 339
Otto SR, 304

Parkinson AJ, 305
Pass RF, 57
Pay N, 282
Pearson JD, 152
Plant G, 305
Poch N, 447
Punch JL, 113

Robinson DO, 113
Ruth RA, 83

Sammeth CA, 240
Sandridge SA, 105
Sarant J, 63
Schuchman G, 15
Schum DJ, 212
Schweitzer HC, 230
Seewald R, 137
Sells JP, 304
Sherlock LP, 125
Shotland LI, 139
Simpson LC, 57
Strouse AL, 339
Svoboda W, 289

Talley L, 419
Taylor IM, 428
Terry AM, 230
Tetzeli M, 240
Tucker DA, 83
Tweed TS, 251, 260
Tye-Murray N, 396

Valente M, 138
Vohr BR, 77

Weber FT, 332
Westbrook MK, 365
White KR, 77
Wilber LA, 375
Wiley TL, 251, 260
Williams KE, 39
Willott JF, 141
Wilson RH, 1, 358
Wingfield A, 175
Witt S, 396
Wong LL, 442

Zelisko D, 137
Zizz CA, 39

Subject Index

ABR. *See* Auditory brainstem response
Acoustic immittance, 120-123
Adolescents, 63-69, 332-337
AEP. *See* Auditory evoked potential
Age
  dichotic digit recognition and, 358-364
  hearing loss and, 152-160
  middle latency response and, 83-90
  time-compressed speech and, 447-457
  tympanometry and, 262-263, 265-267
  word-onset gating and, 178
Aging
  anatomic and physiologic, 141-149
  binaural performance and, 168-174
  distortion product otoacoustic emissions and, 339-344
  genetics and, 148-149
  See also Elderly; Older adults
Aided speech recognition, 305-317, 319-321
Alerting devices, 209
Americans with Disabilities Act, 113-119
American Speech-Language-Hearing Association (ASHA), 251, 260-267
AMLR. *See* Auditory middle latency response
Amplification
  characteristics, 410-411, 413-417
  listening conditions and, 92-104, 413
  nonlinear, 377-393
  See also Hearing aids
Argosy Manhattan II hearing aid, 242-243, 247-249
ASHA. *See* American Speech-Language-Hearing Association
ASP. *See* Automatic signal processing
Assistive devices for elderly, 203-210
  See also Hearing aids
Attention, 193
Audiogram, 409
Audiometry, 125-129
Auditory brainstem response (ABR)
  infant, 269-273
  stimulus duration and, 7-13
Auditory evoked potential (AEP), 23-30
Auditory middle latency response (AMLR), 83-90
Auditory perceptual assessment, 1-6, 49-55, 419-427
Auditory performance, 175-180
Auditory temporal processing, 183-188
Automatic signal processing (ASP), 240-241
Automatic volume control (AVC), 383
AVC. *See* Automatic volume control

Author Index

Abouchacra KS, 346
Agnew J, 296
Ahlstrom JB, 31
Alexander GC, 428
Allen RL, 282
Amos CS, 57
Andrews M, 49

Baran JA, 370
Barry EK, 7
Barry SJ, 7
Beck LB, 15
Bennett SL, 269
Blamey P, 63
Blanks RHI, 39
Boll TJ, 57
Boothroyd A, 105
Brant LJ, 152
Byrne D, 305, 377, 406

Castelloe J, 396
Chen J, 130
Chertoff ME, 130
Chmiel R, 190
Clark G, 63
Coughlin M, 419
Cowan R, 63
Cox LC, 71
Cox RM, 428
Cranford JL, 282, 289
Cruickshanks KJ, 251, 260

Dahle AJ, 57
De Chicchis AR, 120
Dillon H, 406
Dirks DD, 31
Dokler PA, 269
Doyle J, 442

Eisenberg LS, 31

Fitzgibbons PJ, 183
Formby C, 125
Fowler CG, 23, 39
Fowler KB, 57
Fozard JL, 152
Franqui M, 15

Gagné JP, 137
Galvin K, 63
Gordon-Salant S, 152, 183
Gray GA, 428
Green DM, 125
Griffiths SK, 332
Grim MA, 230
Grose JH, 168

Haas EC, 346
Hall JW III, 339
Henderson D, 375
Hipp K, 289
Holmes AE, 219, 332
Humes LE, 161, 419
Hurley RM, 304

Isart FA, 332

Jaffe MS, 358
Jerger J, 190

Kalb JT, 346
Kaplan H, 203, 332
Katbamna B, 269, 365
Katt DF, 113
Keidser G, 92, 406
Kennalley T, 289
Klein BEK, 251, 260
Klein LL, 152
Klein R, 251, 260
Kricos PB, 219
Kuk FK, 274, 322

Lau C, 274, 322
Leigh ED, 1
Letowski TR, 346, 447

MacDonald CB, 71
Martinez CD, 49
Maxon AB, 77
McCollister FP, 57
Metter EJ, 152
Metz DA, 269
Mikami CM, 23
Morrell CH, 152
Musiek FE, 370
Myers LL, 346

Newall P, 305
Nichols SW, 332
Noffsinger D, 49
Nondahl DM, 251, 260
Nozza RJ, 120

Ochs MT, 240, 339
Otto SR, 304

Parkinson AJ, 305
Pass RF, 57
Pay N, 282
Pearson JD, 152
Plant G, 305
Poch N, 447
Punch JL, 113

Robinson DO, 113
Ruth RA, 83

Sammeth CA, 240
Sandridge SA, 105
Sarant J, 63
Schuchman G, 15
Schum DJ, 212
Schweitzer HC, 230
Seewald R, 137
Sells JP, 304
Sherlock LP, 125
Shotland LI, 139
Simpson LC, 57
Strouse AL, 339
Svoboda W, 289

Talley L, 419
Taylor IM, 428
Terry AM, 230
Tetzeli M, 240
Tucker DA, 83
Tweed TS, 251, 260
Tye-Murray N, 396

Valente M, 138
Vohr BR, 77

Weber FT, 332
Westbrook MK, 365
White KR, 77
Wilber LA, 375
Wiley TL, 251, 260
Williams KE, 39
Willott JF, 141
Wilson RH, 1, 358
Wingfield A, 175
Witt S, 396
Wong LL, 442

Zelisko D, 137
Zizz CA, 39

Subject Index

ABR. *See* Auditory brainstem response
Acoustic immittance, 120-123
Adolescents, 63-69, 332-337
AEP. *See* Auditory evoked potential
Age
  dichotic digit recognition and, 358-364
  hearing loss and, 152-160
  middle latency response and, 83-90
  time-compressed speech and, 447-457
  tympanometry and, 262-263, 265-267
  word-onset gating and, 178
Aging
  anatomic and physiologic, 141-149
  binaural performance and, 168-174
  distortion product otoacoustic emissions and, 339-344
  genetics and, 148-149
  See also Elderly; Older adults
Aided speech recognition, 305-317, 319-321
Alerting devices, 209
Americans with Disabilities Act, 113-119
American Speech-Language-Hearing Association (ASHA), 251, 260-267
AMLR. *See* Auditory middle latency response
Amplification
  characteristics, 410-411, 413-417
  listening conditions and, 92-104, 413
  nonlinear, 377-393
  See also Hearing aids
Argosy Manhattan II hearing aid, 242-243, 247-249
ASHA. *See* American Speech-Language-Hearing Association
ASP. *See* Automatic signal processing
Assistive devices for elderly, 203-210
  See also Hearing aids
Attention, 193
Audiogram, 409
Audiometry, 125-129
Auditory brainstem response (ABR)
  infant, 269-273
  stimulus duration and, 7-13
Auditory evoked potential (AEP), 23-30
Auditory middle latency response (AMLR), 83-90
Auditory perceptual assessment, 1-6, 49-55, 419-427
Auditory performance, 175-180
Auditory temporal processing, 183-188
Automatic signal processing (ASP), 240-241
Automatic volume control (AVC), 383
AVC. *See* Automatic volume control

Babble noise, 412
Baltimore Longitudinal Study of Aging (BLSA), 152-160
Bandwidths, 386
Beamforming hearing aid, 230-238
Behind-the-ear (BTE) hearing aids, 204-205, 431, 438
BILL-type hearing aids, 240-241, 243
Binaural neural processes, 146
Binaural performance, 168-174
Binaural unmasking, 170-173
Blood pressure, 155
BLSA. *See* Baltimore Longitudinal Study of Aging
BTE. *See* Behind-the-ear (BTE) hearing aids

Calibration, 130-135
California Verbal Learning Test (CVLT), 193, 197
Cantonese speakers, 442-446
CAS. *See* Central auditory system
CD. *See* Compact disc
CEBA. *See* Central effects of biological aging
Central auditory system (CAS)
  aging and, 141-149
  congenital temporal lobe absence and, 282-287
  in elderly, 190-201
  after temporal lobectomies, 289-295
Central effects of biological aging (CEBA), 141-149
Central effects of peripheral pathology (CEPP), 141-149
CEPP. *See* Central effects of peripheral pathology
Children, 289-295
Clear speech, 212-217
Click stimuli, 130-135
CMV. *See* Cytomegalovirus
Cochlear implant, 63-69, 396-405
Cognitive factors, in auditory performance, 175-180
Communication Profile for Hearing Impaired (CPHI), 221-228, 396, 399-405
Compact disc (CD)
  for auditory perceptual assessment, 1-6, 49-55, 419-427
  Sentence Gist Recognition test, 403
Compression characteristics, 92-104, 447-457
Computer-controlled audiometry, 125-129
Connected Speech Test (CST), 221, 223, 397, 431-433
Consonant recognition, 240-249, 312-315, 320
Consonant-vowels (CVs), 1-6, 49-55, 105-111, 240-249
Conversational speech, 212-217
CPHI. *See* Communication Profile for Hearing Impaired
CST. *See* Connected Speech Test
Cultural influences, 442-446
CVLT. *See* California Verbal Learning Test
CVs. *See* Consonant-vowels
Cytomegalovirus (CMV), 57-61

Deafness. *See* Hearing loss
Department of Veterans Affairs compact disc (VA-CD), 1-6, 49-55, 419-427
Dichotic consonant-vowels, 1-6
Dichotic digit recognition, 49-55, 283-284, 290-293, 358-364
Dichotic listening, 1-6, 49-55, 173
Dichotic Sentence Identification (DSI), 190-201
Digit recognition, 49-55, 283-284, 290-293, 358-364
DIL. *See* Discard interval length
Discard interval length (DIL), 447-457
Distortion product otoacoustic emissions (DPOAEs)
  aging and, 339-344
  procedures, 370-374
DPOAEs. *See* Distortion product otoacoustic emissions
DSI. *See* Dichotic Sentence Identification
DSSI. *See* Duke Social Support Index
Duke Social Support Index (DSSI), 193, 197
Duration pattern test, 291, 292-293
Dysplasia oto-spondylo-megaepiphyseal, 365-369
  skeletal, 365-369

Ear dichotic digit recognition and, 358-364
  middle, 260-267
  real-ear gain, 408
  See also Ear canal
Ear canal
  click stimuli in, 130-135
  real-ear sound pressure level, 31-38, 137, 138
Earphones, 130-135
EHLS. *See* Epidemiology of Hearing Loss Study
Elderly
  assistive devices for, 190-201, 203-210
  auditory perceptual assessment in, 419-427
  auditory temporal processing in, 183-188
  Cantonese speakers, 442-446
  central auditory disorder in, 190-201
  clear and conversational speech in, 212-217
  cognitive factors in auditory performance, 175-180
  dichotic listening by, 49-55
  hearing loss in, 190-201, 219-228, 442-446
  speech in, 161-166
  See also Aging; Older adults
Electrode montage, 269-273
Electrotactile speech processor, 63-69
EOAEs. *See* Evoked otoacoustic emissions
Epidemiology of Hearing Loss Study (EHLS), 252, 261-267
Event-related potential, 285, 287, 290, 291, 293-295
Evoked otoacoustic emissions (EOAEs), 339-340, 370
  See also Distortion product otoacoustic emissions; Transient evoked otoacoustic emissions

"Expander" hearing aid, 243, 245-249

FM systems, 204, 206-207
Frequency gain, 274-281, 322-331
Frequency representation, 143-144, 296-299
Frequency responses
  listening conditions and, 92-104, 409, 414
  National Acoustics Laboratory, 296-299, 406-418, 428-441

Gender, 263, 267
Genetics, 148-149

Hardwire systems, 207
Hearing
  conservation, 117-118
  performance standards, 113-119
  thresholds, 305-317, 319-321, 375
Hearing aids
  acclimatization benefit from, 410, 428-446
  amplification, 92-104
  beamforming, 230-238
  behind-the-ear, 204-205, 431, 438
  consonant recognition and, 240-249, 312-315, 320
  in elderly, 190-201, 203-210
  fitting of, 377-393, 431
  frequency gain and, 274-281, 323-324
  in-the-ear, 204-205, 241, 438, 439
  multiple memory, 92-104, 406-418
  noise perception in, 296-303
  nonlinear, 377-393
  preferred insertion gain and, 274-281
  selection of, 377-393
  two-channel, 15-22
  vowel recognition and, 310-312, 319
Hearing Handicap Inventory for Elderly (HHIE), 190-201, 219-228
Hearing loss
  in adolescents, 63-69
  cytomegalovirus and, 57-61
  in elderly, 190-201, 219-228, 442-446
  in juvenile detainees, 332-337, 338
  in oto-spondylo-megaepiphyseal dysplasia, 365-369
  prediction, 370
  profound, 305-317, 319-321
  risk factors, 152-160
  sensorineural, 71-76
  solvents and, 375
HHIE. *See* Hearing Handicap Inventory for Elderly
HOKS. *See* Horizontal optokinetic stimulation
Horizontal optokinetic stimulation (HOKS), 39-47

IAC. *See* Infinite amplitude clipping
Infants
  auditory brainstem response in, 269-273
  transient evoked otoacoustic emissions in, 77-82
Infinite amplitude clipping (IAC), 241, 243, 245, 248
Interexaminer reliability, 251-258

In-the-ear (ITE) hearing aids, 204-205, 241, 438, 439
ITE. *See* In-the-ear (ITE) hearing aids

Juvenile detainees, 332-337

Large vestibular aqueduct (LVA) syndrome, 71-76
Late auditory potential, 23-30
Law enforcement officers, 113-119
Left-handed listeners, 1-6
LIN. *See* Linear amplifier
Linear amplifier (LIN), 242, 245-248
Linguistic factors
hearing loss and, 442-446
speech rate and, 175-177
Listening conditions
amplification and, 92-104, 413
frequency responses and, 92-104, 409, 414
Loudness, 379, 382-383, 384-386
LVA. *See* Large vestibular aqueduct (LVA) syndrome

Manual dexterity, 193
Masking level difference (MLD), 23-30
Memory
constraints, 178-180
in elderly, 193
Mice, 146-148
Middle ear, 260-267
Mismatch negativity (MMN), 105-111
MLD. *See* Masking level difference
MMN. *See* Mismatch negativity
Modified simplex procedure, 322-331
Multiple memory hearing aids, 92-104, 406-418

NAL. *See* National Acoustics Laboratory
National Acoustics Laboratory (NAL), 296-299, 406-418, 428-441
NEO Five-Factor Inventory (NEO-FFI), 193, 197
Neonates, 77-82
Neural inhibition, 144-146
Neurofibromatosis, 304
Newborns. *See* Infants
Noise
control, 139
in hearing aids, 296-303
reduction, 381
speech and, 117-118, 412
Nonlinear hearing aids, 377-393
Nonsense syllables, 49-55, 396, 399

OAEs. *See* Otoacoustic emissions
Octave-band sound effects, 346-355
Older adults
otoscopy in, 251-258
rehabilitation of, 219-228
tympanometry in, 251-258, 260-267
See also Elderly
OSMED. *See* Oto-spondylo-megaepiphyseal dysplasia
Otoacoustic emissions (OAEs), 339, 370
See also Distortion product otoacoustic emissions; Transient evoked otoacoustic emissions
Otoscopy, 251-258
Oto-spondylo-megaepiphyseal dysplasia (OSMED), 365-369

P300 event-related potential, 285, 287, 290, 291, 293-295
Personality, 193
Personal listening systems, 205-207
PHAP. *See* Profile of Hearing Aid Performance
Postural adjustments, 39-47
Precedence effect, 168-169, 285
Preferred frequency gain, 274-281, 322-331
Presbyacusis, 141-149, 168-174
Prisoners, 332-338
Probe insertion, 31-38
Profile of Hearing Aid Performance (PHAP), 15-22
Profound hearing loss, 305-317, 319-321
Purdue Pegboard Test, 193, 197
Pure-tone thresholds, 125-129

Quiet, 116-117, 410-412

Radio access systems, 208
Recognition
consonant, 240-249, 312-315, 320
dichotic digit, 49-55, 283-284, 290-293, 358-364
sentence gist, 396-405
sound effect, 346-355
speech, 16-19, 116-118, 219-228, 290, 305-317, 319-321, 419-427
vowel, 310-312, 319
Rehabilitation, 219-228
Reverberation, 412
Right-handed listeners, 1-6

SCAN test, 290, 292
Self-Help for Hard of Hearing Persons (SHHH), 399
Sensorineural hearing loss, 71-76
Sentence Gist Recognition (SGR) Test, 396-405
Sentences, dichotic, 49-55
SGR. *See* Sentence Gist Recognition (SGR) Test
SHHH. *See* Self-Help for Hard of Hearing Persons
Signal
automatic processing of, 240-241
level and rate, 83-90
Signal-to-noise ratio (SNR), 230, 234-238
SIR. *See* Subjective Intelligibility Rating
Skeletal dysplasia, 365-369
Slow wave, 7-13
SNR. *See* Signal-to-noise ratio
Solvents, 375
Sound effects, 346-355
Sound pressure, 31-38, 137, 138
SPAC. *See* Speech Pattern Contrast (SPAC) Test
Speech
clear and conversational, 212-217
in deaf adolescents, 63-69
in elderly, 161-166
frequencies, 152-160
intelligibility, 428-441
mismatch negativity and, 105-111
noise and, 117-118, 412
processor, 63-69
quiet and, 116-117, 410-412
rate, 175-177
in reverberation, 412
time-compressed, 447-457
See also Recognition
Speech Pattern Contrast (SPAC) Test, 431-433
Speech Perception in Noise (SPIN), 15-22
Speech-reading Questionnaire for Cochlear Implant Users, 399
SPIN. *See* Speech Perception in Noise
Spondaic words, 285
SSI. *See* Synthetic Sentence Identification
SSW. *See* Staggered spondaic words
Staggered spondaic words (SSW), 285
Static acoustic admittance, 120-123
Stimulus duration, 7-13
Subjective Intelligibility Rating (SIR), 234-237
Synthetic Sentence Identification (SSI), 284-285

TDDs. *See* Telecommunication devices for deaf
Telecommunication devices for deaf (TDDs), 204
Television access systems, 208
Temporal integration functions, 7-13
Temporal lobe, 282-287
Temporal lobectomies, 289-295
Temporal processing, 183-188
TEOAEs. *See* Transient evoked otoacoustic emissions
Time-compressed speech, 447-457
Timed Sustained Attention Test (TSAT), 193, 197
Tonal sequences, 186
Tonal and Speech Materials for Auditory Perceptual Assessment (compact disc), 1-6, 49-55, 419-427
Tone discrimination, 285
Transient evoked otoacoustic emissions (TEOAEs)
aging and, 340
hearing loss prediction and, 370
in neonates, 77-82
TSAT. *See* Timed Sustained Attention Test
Two-channel hearing aid, 15-22
Tympanometric peak pressure, 120-123, 264-265
Tympanometric width, 120-123, 263
Tympanometry
in older adults, 251-258, 260-267
versus otoscopy, 251-258

VA-CD. *See* Department of Veterans Affairs compact disc
Visual interactive communication, 207-208
Vowel recognition, 310-312, 319
See also Consonant-vowels

Word-onset gating, 178